

Chapter 2: Languages

Paradigms

- Relational algebra
- Relational calculus
- SQL: not explicitly considered in this theory course!

2.1 Relational Algebra

Basis Operators

- delete attributes: *Projection*.
- select tuples: *Selection*.
- combine relations: *Join*.
- set operators: *Union*, *Difference*.

Projection

Student

<u>MatrId</u>	Name	Address	Semester
1223	Hans Eifrig	Seeweg 20	2
3434	Lisa Lustig	Bergstraße 11	4
1234	Maria Gut	Am Bächle 1	2



Student'

<u>MatrId</u>	Name
1223	Hans Eifrig
3434	Lisa Lustig
1234	Maria Gut

Projection on tuples

- Let $R(X)$ be a schema, where $X = \{A_1, \dots, A_k\}$.
- Let Y be a set of attributes, where $\emptyset \subset Y \subseteq X$.
- Let $\mu \in \text{Tup}(X)$ be a tuple over X .
- $\mu[Y]$ is called *projection* of μ to Y :

$$\mu[Y] \in \text{Tup}(Y),$$

$$\mu[Y](A) = \mu(A), A \in Y.$$

Projection on relations

- Let $r \subseteq \text{Tup}(X)$ a relation and $Y \subseteq X$.
- $\pi[Y]r$ is called *projection* of r to Y :

$$\pi[Y]r = \{\mu \in \text{Tup}(Y) \mid \exists \mu' \in r, \text{ such that } \mu = \mu'[Y]\}.$$

Example

	A	B	C
$r =$	a	b	c
	a	a	c
	c	b	d

$$\pi[A, C](r) =$$

Selection

Course

<u>CourseId</u>	Institute	Name	Description
K010	DBIS	Databases	Foundations of Databases
K011	DBIS	Information Systems	Foundations of Information Systems
K100	MST	Microsystems	Foundations of Microsystems



Course'

<u>CourseId</u>	Institut	Name	Description
K100	MST	Microsystems	Foundations of Mikrosystems

Selection condition

- Let $A, B \in X$, $a \in \text{dom}(A)$.
- An (atomic) *selection condition* α (on X) is of the form $A \theta B$, resp. $A \theta a$, resp. $a \theta A$.
- A tuple $\mu \in \text{Tup}(X)$ *fulfills* a selection condition α , if $\mu(A) \theta \mu(B)$, resp. $\mu(A) \theta a$, resp. $a \theta \mu(A)$.
- Atomic selection conditions can be generalized to formulas using \wedge , \vee , \neg , and $(,)$.

Example

$$X = \{A, B, C\}.$$

$$\mu_1 = (A \rightarrow 2, B \rightarrow 2, C \rightarrow 1), \mu_2 = (A \rightarrow 2, B \rightarrow 3, C \rightarrow 2)$$

$$\alpha_1 = (A = B), \alpha_2 = ((B > 1) \wedge (C > 1))$$

Selection

- Let $r \subseteq \text{Tup}(X)$ be a relation and α a selection condition over X .
- $\sigma[\alpha]r$ is called *selection* of relation r by α :

$$\sigma[\alpha]r = \{\mu \in \text{Tup}(X) \mid \mu \in r \wedge \mu \text{ fulfills } \alpha\}.$$

Example

$$r = \begin{array}{c|ccc} & A & B & C \\ \hline a & b & c & \\ d & a & f & \\ c & b & d & \end{array}$$

$$\sigma[B = b](r) =$$

Union and difference

- Let X, Y sets of attributes, where $X = Y$ and $r \subseteq \text{Tup}(X), s \subseteq \text{Tup}(Y)$ two relations.
- $$r \cup s = \{\mu \in \text{Tup}(X) \mid \mu \in r \vee \mu \in s\}.$$

$$r - s = \{\mu \in \text{Tup}(X) \mid \mu \in r, \text{ wobei } \mu \notin s\}.$$

Example

$$r = \begin{array}{c|ccc} & A & B & C \\ \hline a & b & c \\ d & a & f \\ c & b & d \end{array} \qquad s = \begin{array}{c|ccc} & A & B & C \\ \hline b & g & a \\ d & a & f \end{array} \qquad r \cup s =$$

$$r = \begin{array}{c|ccc} & A & B & C \\ \hline a & b & c \\ d & a & f \\ c & b & d \end{array} \qquad s = \begin{array}{c|ccc} & A & B & C \\ \hline b & g & a \\ d & a & f \end{array} \qquad r - s =$$

Join

Student		Registration		Course	
<u>MatrId</u>	Name	<u>MatrId</u>	<u>CourseId</u>	<u>CourseId</u>	Name
1223	Hans Eifrig	1223	K010	K010	Databases
3434	Lisa Lustig	1234	K010	K011	Information System
1234	Maria Gut			K100	Mikrosystems

↓

Student'

<u>MatrId</u>	Name	<u>CourseId</u>	Name
1223	Hans Eifrig	K010	Databases
1234	Maria Gut	K010	Databases

Join

- For sets of attributes X, Y , we may also write XY instead of $X \cup Y$.
- Let $r \subseteq \text{Tup}(X), s \subseteq \text{Tup}(Y)$.
- The (*natural*) *join* \bowtie of r and s is defined:

$$r \bowtie s = \{\mu \in \text{Tup}(XY) \mid \mu[X] \in r \wedge \mu[Y] \in s\}.$$

Example

$$r = \begin{array}{ccc} A & B & C \\ \hline 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 6 \end{array}$$
$$s = \begin{array}{cc} C & D \\ \hline 3 & 1 \\ 6 & 2 \\ 4 & 5 \end{array}$$

$$r \bowtie s =$$

more on join

Let X_i , $1 \leq i \leq n$ be sets of attributes.

- If $X_1 \cap X_2 = \emptyset$,
 $r_1 \bowtie r_2 = r_1 \times r_2$.
- $\bowtie_{i=1}^n r_i = \{\mu \in \text{Tup}(\cup_{i=1}^n X_i) \mid \mu[X_i] \in r_i, 1 \leq i \leq n\}$.

Renaming

- Let $X = \{A_1, \dots, A_k\}$, $Y = \{B_1, \dots, B_k\}$ be sets of attributes.
- Let δ be a bijection from X to Y , where $\text{dom}(A) = \text{dom}(\delta(A))$. If $\delta(A) = B$, we write $A \rightarrow B$.
- Consider relation $r \subseteq \text{Tup}(X)$.
- The renaming $\delta[X, Y]$ with respect to r is given as follows:

$$\delta[X, Y]r = \{\mu \in \text{Tup}(Y) \mid \exists \mu' \in r, \text{ so dass } \mu'(A_i) = \mu(\delta(A_i)), 1 \leq i \leq k\}$$

Example

$X = \{A, B, C\}$, $Y = \{D, E, C\}$ und $\delta = \{A \rightarrow D, B \rightarrow E, C \rightarrow C\}$.

	A	B	C
$r =$	a	b	c
	d	a	f
	c	b	d

$$\delta[X, Y]r =$$

Basic Operators

- Selection, Projection, Union, Difference, Join and Renaming are the basic operators of Relational Algebra.
- They are closed over relations.
- The valid expressions of the Relational Algebra can be defined inductively.
- We can define other useful operators.

further operators

Let X_i , $1 \leq i \leq n$, be formats and let $r_i \subseteq \text{Tup}(X_i)$, $1 \leq i \leq n$, be relations.

- *Intersection.* Sei $X_1 = X_2$.

$$r_1 \cap r_2 = r_1 - (r_1 - r_2).$$

- *θ -Join.* Let $X_1 \cap X_2 = \emptyset$ and let α be an arbitrary selection condition over $X_1 \cup X_2$.

$$r \bowtie_{\alpha} s = \sigma[\alpha](r \times s).$$

If α uses only equality: *equi-join*.

Division

Let X_1, X_2 be formats, $X_2 \subset X_1$, $Z = X_1 - X_2$ and $r_2 \neq \emptyset$.

$$\begin{aligned} r_1 \div r_2 &= \{\mu \in \text{Tup}(Z) \mid \{\mu\} \times r_2 \subseteq r_1\} \\ &= \pi[Z]r_1 - \pi[Z](((\pi[Z]r_1) \times r_2) - r_1). \end{aligned}$$

Example

$$r_1 = \begin{array}{cccc} A & B & C & D \\ \hline a & b & c & d \\ a & b & e & f \\ b & c & e & f \\ e & d & c & d \\ e & d & e & f \\ a & b & d & d \end{array} \quad r_2 = \begin{array}{cc} C & D \\ \hline c & d \\ e & f \end{array} \quad r_1 \div r_2 =$$

Example

Course(CourseId, Institute, Name, Description)
Registration(MatrId, CourseId, Semester, Grade)
 $\pi[\text{MatrId}](\text{Registration} \div \pi[\text{CourseId}]\text{Course})$

Algebra as a query language

- We cannot express all computable transformations over instances of database schemas.

Example: transitive closure of binary relations.

Equivalence

Two algebra expressions Q, Q' are called *equivalent*, $Q \equiv Q'$, if for any instance \mathcal{I} of a database:

$$\mathcal{I}(Q) = \mathcal{I}(Q').$$

Examples

Let $\text{attr}(\alpha)$ be the attributes in α and let $R, S, T \dots$ be relation names whose formats are X, Y, Z .

- $Z \subseteq Y \subseteq X \implies \pi[Z](\pi[Y]R) \equiv \pi[Z]R.$
- $\text{attr}(\alpha) \subseteq Y \subseteq X \implies \pi[Y](\sigma[\alpha]R) \equiv \sigma[\alpha](\pi[Y]R).$
- $R \bowtie R \equiv R.$
- $X = Y \implies R \cap S \equiv R \bowtie S.$
- $\text{attr}(\alpha) \subseteq X, \text{attr}(\alpha) \cap Y = \emptyset \implies \sigma[\alpha](R \bowtie S) \equiv (\sigma[\alpha]R) \bowtie S.$